



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/073,942

02/14/2002

Matthew D. Putnam

09531-075001

1734

26191 7590 10/16/2007
FISH & RICHARDSON P.C.
PO BOX 1022
MINNEAPOLIS, MN 55440-1022

EXAMINER

ARAJ, MICHAEL J

ART UNIT	PAPER NUMBER
----------	--------------

3733

MAIL DATE	DELIVERY MODE
-----------	---------------

10/16/2007

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/073,942

Applicant(s)

PUTNAM ET AL.

Examiner

Michael J. Araj

Art Unit

3733

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 06 August 2007.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-40 is/are pending in the application.
- 4a) Of the above claim(s) 9-25, 28-32, 35, 36 and 39 is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-8, 26, 27, 33, 34, 37, 38 and 40 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 06 August 2007 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1-8, 26, 27, 33, 34, 38 and 40 are rejected under 35 U.S.C. 102(b) as being anticipated by Streli (U.S. Patent No. 4,565,193).

Streli discloses a fixation plate kit comprising an elongated plate (1) having a distal portion and a proximal portion, and at least one tensioning device configured to pass through an opening in the elongated plate, thorough a channel in the radius, and to be tightenable to fix the elongated plate to the radius. The distal portion extends from and forms an angle approximately between 5 and 45 degrees with the proximal portion and includes at least one tine (5) extending from the distal portion. The tensioning devices will be placed in the apertures (3) of the plate. These tensioning devices (screws) can also be considered to be tines because the definition of a tine is a sharp, projecting point or prong taken from www.dictionary.com. The distal portion forms a generally T-shaped configuration with the proximal portion, since the distal portion is wider than the proximal portion, and forms an angle with the proximal portion, whereby the proximal portion follows the volar configuration of the distal head of the radius (see Figure 1). The articulating members such as the ones placed in the aperture in the distal end of the plate are considered to be articulating since they are placed in the

Art Unit: 3733

articulating region of the radius. These members can be extended from the distal portion over multiple angles and orientations, and be inserted into a radius depending on the entry of the member into the aperture. Tension will be applied to the device upon entry in the aperture to the radius. Also disclosed is a method of providing this device and using on or more times in one or more channels. With regard the statement of intended use and other functional statements, they do not impose any structural limitations on the claims distinguishable over Streli which is capable of being used as claimed if one so desires to do so. *In re Casey*, 152 USPQ 235 (CCPA 1967) and *In re Otto*, 136 USPQ 458, 459 (CCPA 1963). Furthermore, the law of anticipation does not require that the reference "teach" what the subject patent teaches, but rather it is only necessary that the claims under attack "read on" something in the reference. *Kalman v. Kimberly Clark Corp.*, 218 USPQ 781 (CCPA 1983). Furthermore, the manner in which a device is intended to be employed does not differentiate the claimed apparatus from prior art apparatus satisfying the claimed structural limitations. *Ex parte Masham*, 2 USPQ2d 1647 (1987).

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claim 37 is rejected under 35 U.S.C. 103(a) as being unpatentable over Streli (U.S. Patent No. 4,565,193).

Streli discloses the claimed invention except for the articulating portion having a hemispherical shape. It would have been an obvious matter of design choice to one skilled in the art at the time the invention was made to construct the articulating portion of a hemispherical shape, since applicant has not disclosed that such solve any stated problem or is anything more than one of numerous shapes or configurations a person ordinary skill in the art would find obvious for the purpose of providing a hemispherical shape. In re Dailey and Eilers, 149 USPQ 47 (1966). A hemispherical shape would allow for an easier fit for implantation and a more functional use.

Response to Arguments

Applicant's arguments filed August 6, 2007 have been fully considered but they are not persuasive. Applicant argues that Streli is not configured for volar application. Applicant is reminded that an anticipation under 35 U.S.C. 102(b) or 102(e) is established when a single prior art reference discloses, either expressly or under principles of inherency, each and every element of of a claimed invention. *RCA Corp. v. Applied Digital Data System, Inc.*, 730 F.2d 1440, 221 USPQ 385 (Fed. Cir. 1984). Furthermore, it is well settled that the law of anticipation does not required that the reference teach what appeallant is teaching or has disclosed, but only that the claims on appeal "read on" something disclosed in the reference, i.e. all limitation of the claims are found in the reference. *Kalman v. Kimberly Clark Corp.*, 713 F.2d 760, 218 USPQ 781 (Fed. Cir. 1083). Moreover, it is not necessary for the applied reference to expressly

Art Unit: 3733

disclose or describe a particular element or limitation of a rejected claim word for word as in the rejected claim so long as the reference inherently discloses that element or limitation. *Standard Havens Products Inc. v. Gencor Industries Inc.*, 953 F.2d 1360, 21 USPQ 2d 1321 (Fed. Cir. 1991). In response to Applicant's argument Streli is not configured for volar application, it has been held that a recitation with respect to the manner in which a claimed apparatus is intended to be employed does not differentiate the claimed apparatus from a prior art apparatus satisfying the claimed structural limitations. *Ex parte Masham*, 2 USPQ2d 1647 (1987).

In response to applicant's argument that the references fail to show certain features of applicant's invention, it is noted that the features upon which applicant relies (i.e., an articulating member that is non-integral) are not recited in the rejected claim(s). Although the claims are interpreted in light of the specification, limitations from the specification are not read into the claims. See *In re Van Geuns*, 988 F.2d 1181, 26 USPQ2d 1057 (Fed. Cir. 1993).

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. See PTO-892 for art cited of interest.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michael J. Araj whose telephone number is 571-272-5963. The examiner can normally be reached on M-F 8am-5pm.


Art Unit: 3733

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Eduardo Robert can be reached on 571-272-4719. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.



MJA



EDUARDO C. ROBERT
SUPERVISORY PATENT EXAMINER